



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Composite Panel Association

**73 Lawson Road, Suite 101
Leesburg, VA 20175**

Fulfills the requirements of

ISO/IEC 17025:2017

and the

**U.S. EPA Toxic Substances Control Act (TSCA) Title VI
Third-Party Certification Program**

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to read 'R. Douglas Leonard Jr.', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 01 December 2021

Certificate Number: AT-1806



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

Composite Panel Association

73 Lawson Road, Suite 101
Leesburg, VA 20175

Connie Klinkam 703-724-1128 Ext. 296
www.compositepanel.org

TESTING

Valid to: **December 01, 2021**

Certificate Number: **AT-1806**

Chemical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Formaldehyde concentration in air and emission rate	ASTM E1333-96 (2002) ASTM E1333-10 ASTM E1333-14	Wood products	High Performance Liquid Chromatography (HPLC) using Dinitrophenylhydrazine (DNPH) derivatization; Chromotropic acid analysis
Formaldehyde concentration in air	ASTM D6007-02 ASTM D6007-14	Wood products	High Performance Liquid Chromatography (HPLC) using Dinitrophenylhydrazine (DNPH) derivatization; Chromotropic acid analysis
Formaldehyde emission potential	ASTM D5582	Wood products	Chromotropic acid analysis
Linear expansion with change in moisture content	ASTM D1037 Sec 24	Wood products	Balance and micrometer bar length

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-1806.
2. This laboratory meets the requirements of the ANAB SR 2424, EPA TSCA Title VI Formaldehyde Accreditation Program that includes the requirements of 40 CFR Part 770 – Formaldehyde Standards for Composite Wood Products.



R. Douglas Leonard Jr., VP, PILR SBU