



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Composite Panel Association

**73 Lawson Road, Suite 101
Leesburg, VA 20175**

Fulfills the requirements of

ISO/IEC 17025:2017

and the

**U.S. EPA TOXIC SUBSTANCES CONTROL ACT (TSCA) TITLE VI
THIRD-PARTY CERTIFICATION PROGRAM**

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 01 December 2023

Certificate Number: AT-1806



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

AND

**U.S. EPA TOXIC SUBSTANCES CONTROL ACT (TSCA) TITLE VI
THIRD-PARTY CERTIFICATION PROGRAM**

Composite Panel Association

73 Lawson Road, Suite 101
Leesburg, VA 20175

Connie Klinkam 703-724-1128 Ext. 296

www.compositepanel.org

TESTING

Valid to: **December 01, 2023**


Certificate Number: **AT-1806**

Chemical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Formaldehyde concentration in air and emission rate	ASTM E1333-96 (2002) ASTM E1333-10 ASTM E1333-14	Wood products	High Performance Liquid Chromatography (HPLC) using Dinitrophenylhydrazine (DNPH) derivatization; Chromotropic acid analysis
Formaldehyde concentration in air	ASTM D6007-02 ASTM D6007-14	Wood products	High Performance Liquid Chromatography (HPLC) using Dinitrophenylhydrazine (DNPH) derivatization; Chromotropic acid analysis
Formaldehyde emission potential	ASTM D5582-14	Wood products	Chromotropic acid analysis
Linear expansion with change in moisture content	ASTM D1037-12 Sec 24	Wood products	Balance and caliper

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-1806.
2. This laboratory meets the requirements of the ANAB SR 2424, EPA TSCA Title VI Formaldehyde Accreditation Program that includes the requirements of 40 CFR Part 770 – Formaldehyde Standards for Composite Wood Products.



R. Douglas Leonard Jr., VP, PILR SBU

